2007 Pediatric Nutrition Surveillance (1)

Kentucky Comparison of Racial and Ethnic Distribution by Metro Area Children Aged < 5 Years (2)

Page: Run Date: 4 / 17 / 08

		Comparison	of Racial and	d Ethnic Dist	ribution by N	letro Area		
Metro Area	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaskan Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown
	Analysis (3)	%	%	%	%	%	%	%
Lou/Jeff	1,886	11.7	67.5	18.6	0.0	0.6	1.6	0.0
Metro-Unk	144,815	78.4	11.0	7.7	0.1	0.8	2.0	0.0
Kentucky	146,701	77.5	11.8	7.8	0.1	0.8	2.0	0.0
Nation (Prior Year)	7,599,318	31.5	18.5	41.1	1.0	2.5	1.5	3.9

Reporting period is January 1 through December 31.
 Analyses based on one record per child.
 Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

2007 Pediatric Nutrition Surveillance (1) Kentucky

Comparison of Age Distribution by Metro Area Children Aged < 5 Years (2)

Comparison of Age Distribution by Metro Area												
Metro Area	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months								
	(3,4)	%	%	%								
Lou/Jeff	1,886	40.7	19.6	39.7								
Metro-Unk	144,815	40.7	19.2	40.1								
Kentucky	146,701	40.7	19.2	40.1								
Nation (Prior Year)	7,599,318	37.6	21.8	40.6								



Page:

Run Date:

4 / 17 / 08

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6G 2007 Pediatric Nutrition Surveillance (1) Kentucky

Page: 1 Run Date: 4 / 17 / 08

Comparison of Growth and Anemia Indicators by Metro Area Children Aged < 5 Years (2)

		Comp	arison of	Growth	and Ane	mia Ind	dicators	by Meti	ro Area	(3,4)		
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight ₍₇₎		Low	emia Hb/Hct (8)
Metro Area	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% n ≥95th (Rank)	Number	% (Rank)
Lou/Jeff	467	15.6 (2)	3.6 (1)	1,771	6.9 (2)	6.7 (2)	13.3 (2)	730	14.1 (1)	15.5 (1)	1,212	12.2 (1)
Metro-Unk	35,382	10.2 (1)	6.2 (2)	138,445	6.0 (1)	6.4 (1)	13.0 (1)	56,387	16.4 (2)	15.6 (2)	89,053	12.7 (2)
Kentucky	35,849	10.3	6.1	140,216	6.0	6.4	13.0	57,117	16.4	15.6	90,265	12.7
Nation (Prior Year)	1,842,970	9.2	6.6	7,192,043	3 6.4	4.7	13.8	2,945,21	2 16.4	14.8	4,521,591	I 14.0

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

Table 7G

2007 Pediatric Nutrition Surveillance (1) Kentucky

veillance (1) Run Date:

Page:

4 / 17 / 08

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area (2)

Children Aged < 5 Years (3)

		Breastfeeding (5)						Exclusive Breastfeeding (6)				<2 Hours TV Viewing/Day (7)			Smoking in Household	
Metro Area	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank	.)	Number	% (Rar	
Lou/Jeff	467	36.4 (1)	187	16.0 (1)	262	9.2 (1)	0	* *	0	* *	800	100. (1)	1,886	0.0	(1)
Metro-Unk	35,880	36.3 (2)	14,538	8.6 (2)	21,610	5.0 (2)	0	* *	0	* *	61,767	94.9 (2)	144,815	33.6	(2)
Kentucky	36,347	36.3	14,725	8.6	21,872	5.0	0	*	0	*	62,567	94.9		146,701	33.1	
Nation (Prior Year)	1,577,8	32 60.1	790,341	25.2	875,205	18.1	104,492	10.3	143,261	5.6	584,732	73.3		2,855,910	10.6	



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁷⁾ Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6G 2005 - 2007 Pediatric Nutrition Surveillance (1) Kentucky

Page: 1 Run Date: 4 / 17 / 08

Comparison of Growth and Anemia Indicators by Metro Area Children Aged < 5 Years (2)

		Comp	arison of	Growth	and Ane	emia Ind	dicators	by Metr	o Area	(3,4)		
		Birthweight										
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Metro Area	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% n ≥95th (Rank)	Number	% (Rank)
Lou/Jeff	1,362	16.1 (2)	4.1 (1)	4,887	7.7 (2)	6.0 (2)	14.8 (1)	2,049	16.1 (1)	17.3 (2)	3,437	12.5 (2)
Metro-Unk	111,013	10.1 (1)	6.3 (2)	396,362	6.8 (1)	5.4 (1)	15.1 (2)	164,072	17.5 (2)	17.0 (1)	256,672	12.3 (1)
Kentucky	112,375	10.2	6.3	401,249	6.8	5.4	15.1	166,121	17.5	17.0	260,109	12.3

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

Table 7G

2005 - 2007 Pediatric Nutrition Surveillance (1) Kentucky

Page:

4 / 17 / 08 Run Date:

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area (2) Children Aged < 5 Years (3)

		Breastfeeding (5)							Exclusive Breastfeeding (6)					Smoking in Household	
Metro Area	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)	
Lou/Jeff	1,657	39.3 (1)	710	14.1 (1)	639	6.7 (1)	0	* *	0	* *	1,544	100. (1)	2,705	0.0 (1)	
Metro-Unk	133,445	36.1 (2)	57,497	9.2 (2)	55,698	4.6 (2)	0	* *	0	* *	120,221	96.8 (2)	200,76	7 32.0 (2)	
Kentucky	135,102	2 36.2	58,207	9.3	56,337	4.6	0	*	0	*	121,765	96.8	203,47	2 31.6	



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.